

Table 2. Weed Susceptibilities to Postemergence Herbicides

Based on the label: G = Good control (80-100%) F = Fair control (50-80%) P = Poor control (0-50%)	Based on other research: g = good control (80-100%) f = fair control (50-80%) p = poor control (0-50%)
--	---

Weed Species	Acclaim Extra	Envoy	Fusilade II	Segment	Asulox	Casoron	Dismis	Garlon	Goal	Image	Kerb	Lontrel	Sedgehammer	Sureguard	Gramoxone	Finale	Reward	Roundup Pro	Scythe
Broadleaf weeds																			
American Burnweed													p	f	f	f	f	gg	f
Artichoke	P	P	P	P		G						G							G
Aster	P	P	P	P		G										G			F
Bedstraw	P	P	P	P			G		F										F
Bindweed, field	P	P	P	P				G								G			P
Bindweed, hedge	P	P	P	P				G								G			P
Bittercress	P	P	P	P			G			G					gg		gg	G	F
Blackberry	P	P	P	P				G							f	F	f	G	P
Bracken fern	P	P	P	P		G												p	P
Buckwheat, wild	P	P	P	P					F									gg	F
Burclover	P	P	P	P					G							g	f	f	F
Buttercup	P	P	P	P			G			G						f	f	G	F
Camphorweed	P	P	P	P		G										f	f	gg	F
Carpetweed	P	P	P	P		G	G		G						gg	gg	gg	gg	G
Carrot, wild	P	P	P	P		G									gg	f	f	gg	F
Chamberbitter																g	g	g	
Chickweed, common	P	P	P	P		G	G		f	G	G		p		gg	G	gg	G	G
Chickweed, mouseear	P	P	P	P		G	G			G	G				gg	G	gg	G	F
Clematis	P	P	P	P											f		f		P
Clover, white	P	P	P	P			G		F	G					f	G	f	G	P
Cocklebur, common	P	P	P	P					G			G			gg	G	g	G	F
Coffeeweed	P	P	P	P		G						G							F
Copperleaf	P	P	P	P			G					p	p	f	G	g	f	g	f
Cudweed	P	P	P	P		G	G			F					gg	gg	gg	gg	F
Dandelion	P	P	P	P		G	F	G	f	F		G			gg	G	gg	G	F
Dayflower	P	P	P	P												f		f	F
Deadnettle, purple	P	P	P	P		G				G						g	f	g	G
Dock, curly or broadleaf	P	P	P	P		G	F	G				G				G	p	gg	P
Dodder	P	P	P	P											gg		g		G
Dogfennel	P	P	P	P		G									f	f	f	gg	P
Dollarweed (Hydrocotyl)	P	P	P	P		p	f	p	p	G		p	p	p	p	f	p	f	p
Doveweed	P	P	P	P		p			p			p	p	p-f		p	p	p	p
Eclipta	P	P	P	P			G						f			f	f	G	F
Evening primrose	P	P	P	P		G	G		f	G					gg	g	g	f	F
Falsedandelion	P	P	P	P		G										f	p	G	F
Filaree, redstem	P	P	P	P			G		F						gg	f	gg	G	F
Fleabane	P	P	P	P											gg	G	g	G	F
Flixweed	P	P	P	P					F										G

Table 2. Weed Susceptibilities to Postemergence Herbicides

Based on the label: G = Good control (80-100%) F = Fair control (50-80%) P = Poor control (0-50%)	Based on other research: g = good control (80-100%) f = fair control (50-80%) p = poor control (0-50%)
--	---

Weed Species	Acclaim Extra	Envoy	Fusilade II	Segment	Asulox	Casoron	Dismis	Garlon	Goal	Image	Kerb	Lontrel	Sedgehammer	Sureguard	Gramoxone	Finale	Reward	Roundup Pro	Scythe
Broadleaf weeds, cont.																			
Galinsoga, hairy	P	P	P	P			G		f						g	g	g	g	F
Geranium, Carolina	P	P	P	P			G			G					g	f	g	g	F
Groundsel, common	P	P	P	P		G			F			G	g		g	g	g	G	F
Ground ivy	P	P	P	P		g	f	f	p			p	p			f	f	g	f
Henbit	P	P	P	P		G			G	G					g	g	g	G	G
Honeysuckle	P	P	P	P											f	p	p	G	P
Horseweed (marestail)	P	P	P	P								G	f		f	G	f	G*	F
Jimsonweed	P	P	P	P					F			G			g	G	g	g	F
Knapweed, Russian	P	P	P	P		G						G							F
Knawel	P	P	P	P			G			G						g	g	g	G
Knotweed, prostrate	P	P	P	P		G	G		F						g		g	G	F
Ladysthumb	P	P	P	P					F			G				g	f	g	F
Lambsquarters	P	P	P	P		G		G	G				f		f	G	f	G	P
Lespedeza	P	P	P	P			G								f		f	G	F
Lettuce, prickly	P	P	P	P				G	F			G			g	G	g	G	G
Liverwort	P	P	P	P					p						g		f	P	F
Locust	P	P	P	P				G							f	p	p	G	P
Loosestrife	P	P	P	P		G												g	F
Mallow	P	P	P	P			G		F						g	G	g	g	F
Maypops	P	P	P	P		G										p	p	f	P
Mayweed (chamomile)	P	P	P	P					G			G						G	F
Medic, black	P	P	P	P						G								g	F
Morningglory, annual	P	P	P	P			g		F						g	f	f	f	F
Moss	P	P	P	P											f		f	P	F
Mugwort	P	P	P	P		G		f				f			f	f	p	f	P
Mulberryweed																g	g	g	f
Mustard, wild	P	P	P	P					G						g	G	g	G	F
Nettle, stinging	P	P	P	P					F							G			F
Nightshade, black	P	P	P	P					F			G			g	G	g	G	F
Parsley-piert	P	P	P	P			G			G									F
Pearlwort	P	P	P	P									p		g		g	g	G
Pennywort (=dollarweed)	P	P	P	P		p	f	p	p	G		p	p	p	p	f	p	f	p
Pepperweed	P	P	P	P		G			F						g	g	g	g	F
Pigweed spp.	P	P	P	P		G	F		F						g	G	g	G	G
Pimpernel, scarlet	P	P	P	P					F										G
Pineappleweed	P	P	P	P		G	G					G			f		f		F
Plantain	P	P	P	P		G	F	G				p			g	f	p	g	F
Poison ivy (oak)	P	P	P	P				G							f	G	f	G	P

Table 2. Weed Susceptibilities to Postemergence Herbicides

Based on the label: G = Good control (80-100%) F = Fair control (50-80%) P = Poor control (0-50%)	Based on other research: g = good control (80-100%) f = fair control (50-80%) p = poor control (0-50%)
--	---

Weed Species	Acclaim Extra	Envoy	Fusilade II	Segment	Asulox	Casoron	Dismis	Garlon	Goal	Image	Kerb	Lontrel	Sedgehammer	Sureguard	Gramoxone	Finale	Reward	Roundup Pro	Scythe
Broadleaf weeds, cont.																			
Pokeweed, common	P	P	P	P												f	f	f	F
Puncturevine	P	P	P	P			G								f	f	f	gg	f
Purslane, common	P	P	P	P		G	G		G				gg		gg	G	gg	gg	G
Pusley, Florida	P	P	P	P		G	G								gg		f	G	G
Radish, wild	P	P	P	P		G												gg	G
Ragweed, common	P	P	P	P		G		G	f			G			gg	G	gg	G	G
Sandspurry	P	P	P	P					G										G
Shepherdspurse	P	P	P	P		G	G		F						gg	G	gg	G	G
Sida, prickly	P	P	P	P					F						f		f	gg	F
Smartweed	P	P	P	P		G	G	G	F			G			f	G	f	G	F
Sorrel, red	P	P	P	P		G	F		F	G		G			f		f	gg	F
Spanishneedles	P	P	P	P		G												G	G
Speedwell spp.	P	P	P	P		G	G	f	F			p			gg		gg	G	G
Spurge, prostrate	P	P	P	P		G				p			f		gg		gg	G	F
Spurge, spotted	P	P	P	P		G	G						f		gg		gg	G	F
Spurry, corn	P	P	P	P					F						gg		gg		G
Thistle, bull	P	P	P	P								f			p	f	p	f	F
Thistle, Canada	P	P	P	P		G		G				G			f	G	f	G	p
Thistle, musk	p	p	p	P								G				F	p	gg	p
Thistle, Russian	p	p	P	P		G			F							G	p	gg	p
Trumpetcreeper	P	P	P	P											f	p	p	F	P
Vetch	P	P	P	P				G							f	f	f	p	F
Virginia creeper	P	P	P	P				gg							f	f	p	gg	P
Violet, annual	P	P	P	P		F	G	F				p	p	f	gg	f	f	f	f
Willowherb																g	g	gg	f
Yellow woodsorrel	P	P	P	P		G	f					p	f		gg	G	gg	gg	F
Yellow, Rocket	P	P	P	P		G										G	f	G	F

Table 2. Weed Susceptibilities to Postemergence Herbicides

Based on the label: G = Good control (80-100%) F = Fair control (50-80%) P = Poor control (0-50%)	Based on other research: g = good control (80-100%) f = fair control (50-80%) p = poor control (0-50%)
--	---

Weed Species	Acclaim Extra	Envoy	Fusilade II	Segment	Asulox	Casoron	Dismis	Garlon	Goal	Image	Kerb	Lontrel	Sedgehammer	Sureguard	Gramoxone	Finale	Reward	Roundup Pro	Scythe
Grasses (or grasslike)																			
Barnyardgrass	G	G	G	G				P	F			p			gg	G	f	G	P
Bermudagrass	F	G	G	G			p	P				p	p		f	G	p	G	P
Bluegrass, annual	P	G					p	P	F	F	G	p	p		gg	G	p	G	f
Brome, downy			G					P			G	p				G	f	G	
Crabgrass, large	G	G	G	G				P	G			p	p		gg	G	f	G	f
Crabgrass, smooth	G	G	G	G				P				p			gg	G	f	G	f
Crowfootgrass		G										p							
Fescue, tall	P	F	f	F		G	p	P		F	G	p	p		gg	f	p	G	P
Foxtail (yellow, green)	G	G	G	G		G		P				p			gg	G	f	G	f
Foxtail, giant	G	G	G	G		G		P	F			p			gg	G	f	G	f
Goosefoot						G						p							
Goosegrass	G	G	G	G			F	P	F			p			gg	G	f	G	f
Horsetail (Equisetum)	p	p		p		G						p	G				p	f	P
Johnsongrass (mature)	F	F	G	G			p	P				p	p		f	p	p	G	P
Orchardgrass	p	F	f	F		G	p	P			G	p	p		gg	p	p	G	P
Panicum, fall	G	G	G	G				P	f			p			gg	G	f	G	f
Panicum, Texas		G	G	f		G						p				f	f	G	
Quackgrass	p	G	G	G		G		P			G	p	p		f	f	p	G	P
Ryegrass, annual			G	G			p	P			G	p	p		gg	f	p	G	p
Sandbur	G	G	G	G				P		G		p			f	G	f	G	
Shattercane		G	G	G								p				G		G	
Signalgrass, broadleaf		G	G	G				P				p			gg	G	f	G	
Sprangletop	G	G		G								p						G	
Witchgrass		G				G			F			p						G	
Grasslike																			
Garlic, wild	P	P	P	P			f			G									P
Nutsedge, purple	p	p	p	p		f	F	p	p	G	p	p	G		f	g	f	gg	p
Nutsedge, yellow	p	p	p	p		G	G			G		p	G		f	G	f	gg	P
Onion, wild	P	P	P	P			f			G						G		f	P