

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Abelia x grandiflora</i>		OT	OT	OT	D		D	D			D			D	D	D	D	D
<i>Abies spp.</i>		OT	O*	O*	D		D		D*	O*	D	OT	O*	D	D	D	D	D
<i>Abies balsamea</i>		OT	OT	OT	D		D	D	D		D	OT	OT	D	D	D	D	D
<i>Abies concolor</i>		OT	OT	OT	D		D		D		D	OT		D	D	D	D	D
<i>Abies fraseri</i>		OT	D	OT	D		D	D	D	OT	D	OT	OT	D	D	D	D	D
<i>Abies grandis</i>		OT		OT	D		D		D	OT	D	OT	OT	D	D	D	D	D
<i>Abies magnifica</i>		OT		OT	D		D				D	OT		D	D	D	D	D
<i>Abies nordmanniana</i>		OT		OT	D		D				D	OT		D	D	D	D	D
<i>Abies procera</i>		OT	OT	OT	D		D		D	OT	D	OT	OT	D	D	D	D	D
<i>Acer spp.</i>	O*	OT	D*	O*	D	OT	D			D*	D	OT	D*	D	D	D	D	D
<i>Acer ginnala</i>		OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Acer negundo</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Acer nigrum</i>		OT			D	OT	D			D*	D	OT		D	D	D	D	D
<i>Acer palmatum</i>	OT	OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Acer platanoides</i>		OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Acer rubrum</i>	OT	OT	D	OT	D	OT	D			D*	D	OT	D	D	D	D	D	D
<i>Acer saccharinum</i>		OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Acer saccharum</i>		OT	OT		D	OT	D			D	D	OT		D	D	D	D	D
<i>Aesculus spp.</i>					D		D				D	OT		D	D	D	D	D
<i>Agave americana</i>			OT		D		D				D			D	D	D	D	D
<i>Albizia julibrissin</i>				OT	D		D				D			D	D	D	D	D
<i>Alnus rubra</i>		OT			D		D				D			D	D	D	D	D
<i>Arbutus unedo</i>			D	OT	D		D				D			D	D	D	D	D
<i>Arctostaphylos uva-ursi</i>			OT		D	OT	D				D			D	D	D	D	D
<i>Ardisia crenata</i>		OT			D		D				D			D	D	D	D	D
<i>Arecastum romanzoffianum</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Aucuba spp.</i>		OT	O*		D		D				D			D	D	D	D	D
<i>Aucuba japonica</i>		OT	O*		D		D				D			D	D	D	D	D
<i>Baccharis pilularis</i>		OT			D		D				D			D	D	D	D	D
<i>Bambusa spp.</i>		OT			D		D				D			D	D	D	D	D
<i>Berberis spp.</i>	OT	O*	O*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Berberis buxifolia</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Berberis julianae</i>	OT				D	OT	D				D	OT		D	D	D	D	D
<i>Berberis thunbergii</i>	OT	OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Berberis x mentorensis</i>	OT		OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Betula spp.</i>		O*		OT	D	OT	D			D*	D	OT		D	D	D	D	D
<i>Betula nigra</i>		OT		OT	D	OT	D			D	D	OT		D	D	D	D	D
<i>Betula papyrifera</i>		OT		OT	D	OT	D				D	OT		D	D	D	D	D
<i>Betula pendula</i>		OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Betula platyphylla</i>				OT	D	OT	D				D	OT		D	D	D	D	D
<i>Bougainvillea spp.</i>			OT	OT	D		OT				D			D	D	D	D	D
<i>Buddleia spp.</i>							D	D						D				
<i>Buxus spp.</i>	O*	O*	O*	O*	D	OT	D	D			D	OT		D	D	D	D	D
<i>Buxus harlandii</i>					D	OT	D	D			D	OT		D	D	D	D	D
<i>Buxus microphylla</i>	O*		O*	OT	OT	OT	O*	D			D	OT	OT	D	D	D	D	D
<i>Buxus sempervirens</i>		OT	O*	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Callistemon spp.</i>		O*	D*	O*	D		D				D			D	D	D	D	D
<i>Callistemon lanceolatus</i>			OT	OT	D		D				D	OT		D	D	D	D	D
<i>Calluna spp.</i>			O*		D	OT	D				D			D	D	D	D	D
<i>Camellia spp.</i>		O*	O*	O*	D	OT	D				D			D	D	D	D	D
<i>Camellia japonica</i>		OT	OT	OT	D	OT	D				D			D	D	D	D	D
<i>Camellia sasanqua</i>			OT	OT	D	OT	D				D			D	D	D	D	D
<i>Caragana arborescens</i>					D	OT	D				D			D	D	D	D	D
<i>Carissa spp.</i>			O*	OT	D		D				D			D	D	D	D	D
<i>Carissa grandiflora</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Carya illinoensis</i>		D		OT	D		D			D*	D			D	D	D	D	D
<i>Caryopteris clandonensis</i>				OT	D		D				D			D	D	D	D	D
<i>Cassia spp.</i>			D*	O*	D		D				D			D	D	D	D	D
<i>Castanea mollissima</i>					D		D			D*	D			D	D	D	D	D
<i>Catalpa bignoniodes</i>				OT	D		D				D			D	D	D	D	D
<i>Ceanothus americanus</i>					D	OT	D				D			D	D	D	D	D
<i>Ceanothus griseus</i>			D		D		D				D			D	D	D	D	D
<i>Cedrus spp.</i>		OT			D		D				D	OT		D	D	D	D	D
<i>Cedrus atlantica</i>		OT			D		D				D	OT		D	D	D	D	D
<i>Cedrus deodara</i>		OT			D		D				D	OT		D	D	D	D	D
<i>Celtis occidentalis</i>			OT	OT	D	OT	D				D			D	D	D	D	D
<i>Ceratonia siliqua</i>				OT	D		D				D			D	D	D	D	D
<i>Cercis canadensis</i>		OT	OT		D		D			D	D	OT		D	D	D	D	D
<i>Chaenomeles speciosa</i>			OT		D	OT	D			D	D	OT		D	D	D	D	D
<i>Chamaecyparis spp.</i>	OT		O*	O*	D	O*	D				D			D	D	D	D	D
<i>Chamaecyparis lawsoniana</i>	OT		OT		D		D				D			D	D	D	D	D
<i>Chamaecyparis obtusa</i>	OT		OT		D		D				D			D	D	D	D	D
<i>Chamaecyparis pisifera</i>	OT		D	OT	D		D				D			D	D	D	D	D
<i>Chamaerops humilis</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Cistus spp.</i>			O*	O*	D	OT	D				D			D	D	D	D	D
<i>Citrus spp.</i>		D	O*	OT	D		D			D	D			D	D	D	D	D
<i>Cornus spp.</i>	O*	O*	O*	O*	D	OT	D			D*	D	OT		D	D	D	D	D
<i>Cornus alternifolia</i>				OT	D	OT	D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Cornus amonum</i>				OT	D	OT	D				D	OT		D	D	D	D	D
<i>Cornus florida</i>	OT	OT	OT	OT	D	OT	D			D	D	OT	D	D	D	D	D	D
<i>Cornus kousa</i>					D	OT	D				D	OT		D	D	D	D	D
<i>Cornus mas</i>			OT		D	OT	D				D	OT		D	D	D	D	D
<i>Cornus sericea</i>			O*	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Corylus spp.</i>		D*			D	OT	D			D*	D			D	D	D	D	D
<i>Cotinus coggygria</i>					D		D				D			D	D	D	D	D
<i>Cotoneaster spp.</i>	OT		O*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Cotoneaster apiculatus</i>	OT		OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Cotoneaster dammeri</i>	OT		O*	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Cotoneaster horizontalis</i>	OT				D	OT	D				D	OT		D	D	D	D	D
<i>Cotoneaster microphyllus</i>	OT		OT		D	OT	D				D	OT		D	D	D	D	D
<i>Cotoneaster salicifolius</i>	OT		O*		D	OT	D				D	OT		D	D	D	D	D
<i>Crataegus spp.</i>	OT				D		D				D	OT		D	D	D	D	D
<i>Cryptomeria japonica</i>					D		D				D	OT		D	D	D	D	D
<i>Cupressocyparis leylandii</i>			D	OT	D		D		D		D			D	D	D	D	D
<i>Cupressus spp.</i>			O*	O*	D		D		D*		D			D	D	D	D	D
<i>Cupressus sempervirens</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Cycas revoluta</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Cytisus spp.</i>					D		D				D			D	D	D	D	D
<i>Deutzia spp.</i>			O*		D	OT	D				D			D	D	D	D	D
<i>Diervilla lonicera</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Diospyros virginiana</i>					D		D			D	D			D	D	D	D	D
<i>Elaeagnus spp.</i>		O*	O*	O*	D	OT	D			D*	D			D	D	D	D	D
<i>Elaeagnus angustifolia</i>		OT	OT	OT	D	OT	D			D	D			D	D	D	D	D
<i>Elaeagnus pungens</i>			OT	OT	D	OT	D				D			D	D	D	D	D
<i>Elaeagnus umbellata</i>				OT	D	OT	D							D	D	D	D	D
<i>Erica spp.</i>					D		D				D			D	D	D	D	D
<i>Eriobotrya japonica</i>				OT	D		D			D	D			D	D	D	D	D
<i>Escallonia spp.</i>			O*	O*	D		D				D			D	D	D	D	D
<i>Escallonia rubra</i>			OT		D		D				D			D	D	D	D	D
<i>Escallonia x exoniensis</i>				O*	D		D											
<i>Eucalyptus spp.</i>		O*	D*	O*	D		D			D*	D			D	D	D	D	D
<i>Eucalyptus microtheca</i>			OT		D		D				D			D	D	D	D	D
<i>Eucalyptus nicholii</i>			D	OT	D		D				D			D	D	D	D	D
<i>Eucalyptus rudis</i>			OT		D		D				D			D	D	D	D	D
<i>Eucalyptus viminalis</i>					D		D			D	D			D	D	D	D	D
<i>Euonymus spp.</i>	OT	OT	D*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Euonymus alata</i>	OT	OT	D	O*	D	OT	D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Euonymus fortunei</i>	OT	OT	OT		D	OT	OT				D	OT		D	D	D	D	D
<i>Euonymus japonica</i>	OT	OT	OT	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Euonymus kiautschovica</i>	OT	OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Fagus spp.</i>					D		D				D	OT		D	D	D	D	D
<i>Fatsyhedera lizei</i>			OT		D		D				D			D	D	D	D	D
<i>Ficus spp.</i>		O*			D		D			D*	D			D	D	D	D	D
<i>Forsythia spp.</i>	OT		OT	O*	D	OT	D				D	OT		D*	D	D	D	D
<i>Forsythia intermedia</i>	OT		OT		D	OT	D				D	OT		D*	D	D	D	D
<i>Forsythia viridissima</i>	OT		OT	O*	D	OT	D					OT		D	D	D	D	D
<i>Fraxinus spp.</i>		OT	O*	O*	D	OT	D			D*	D	OT		D	D	D	D	D
<i>Fraxinus americana</i>		OT	OT	OT	D	OT	D			D	D	OT		D	D	D	D	D
<i>Fraxinus pennsylvanica</i>		OT	OT	OT	D	OT	D			D	D	OT		D	D	D	D	D
<i>Gardenia spp.</i>		OT	O*	O*	D	OT	D				D			D	D	D	D	D
<i>Gardenia jasminoides</i>		OT	OT	OT	D	OT	OT				D			D	D	D	D	D
<i>Gelsemium sempervirens</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Ginkgo biloba</i>					D		D				D	OT		D	D	D	D	D
<i>Gleditsia triacanthos var. inermis</i>			OT	OT	D		D				D	OT		D	D	D	D	D
<i>Grevillea robusta</i>		OT	OT		D	OT	D				D			D	D	D	D	D
<i>Gymnocladus dioica</i>				OT	D		D				D			D	D	D	D	D
<i>Hamamelis virginiana</i>					D		D				D			D	D	D	D	D
<i>Hedera canaiensis</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Hedera helix</i>	OT	OT	O*	OT	OT	OT	D				D			D	D	D	D	D
<i>Hemigraphis alternata</i>					D		D				D			D	D	D	D	D
<i>Hibiscus syriacus</i>			OT		D		D				D			D	D	D	D	D
<i>Hydrangea spp.</i>	OT		O*	O*	D		D				D			D	D	D	D	D
<i>Hydrangea macrophylla</i>	OT		O*	O*	D													
<i>Hydrangea paniculata</i>	OT		OT		D		D				D			D	D	D	D	D
<i>Hydrangea quercifolia</i>	OT		OT		D		D				D			D	D	D	D	D
<i>Hypericum spp.</i>				O*	D		D				D			D	D	D	D	D
<i>Iberis sempervirens</i>		OT	OT	OT	D		D				D			D	D	D	D	D
<i>Ilex spp.</i>	O*	OT	O*	O*	D	O*	D				D	OT		D	D	D	D	D
<i>Ilex aquifolium</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Ilex aquifolium x cornuta</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Ilex x attenuata</i>		OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Ilex cassine</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Ilex cornuta</i>		OT	OT	O*	O*		OT	D*			D	OT		D	D	D	D	D
<i>Ilex crenata</i>	OT	OT	O*	O*	OT		D				D	OT		D	D	D	D	D
<i>Ilex glabra</i>		OT	OT		D		D				D			D	D	D	D	D
<i>Ilex latifolia</i>		OT			D	OT	D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Illex x meserveae</i>	OT	OT	OT		D	OT	OT	D			D	OT		D	D	D	D	D
<i>Illex opaca</i>	OT	OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Illex vomitoria</i>		OT	OT	OT	D	OT	D	D			D	OT		D	D	D	D	D
<i>Illicium spp.</i>		O*			D		D				D			D	D	D	D	D
<i>Illicium floridanum</i>		OT			D		D				D			D	D	D	D	D
<i>Jasminum spp.</i>		OT		O*	D		D				D			D	D	D	D	D
<i>Juglans nigra</i>		D		OT	D		D			D*	D	OT		D	D	D	D	D
<i>Juglans spp.</i>		D		OT	D	O*	D			D*	D	OT		D	D	D	D	D
<i>Juniperus spp.</i>	O*	OT	D*	O*	D	OT	D	D	D*	O*	D	OT	OT*	D*	D	D	D	D
<i>Juniperus chinensis</i>	O*	OT	D*	O*	D	OT	D	D		OT	D	OT		D*	D	D	D	D
<i>Juniperus conferta</i>	O*	OT	D*	O*	D	OT	OT	D			D	OT	OT	D*	D	D	D	D
<i>Juniperus davurica 'Parsoni'</i>	OT	OT			D	OT	D	D			D	OT		D	D	D	D	D
<i>Juniperus excelsa</i>		OT		OT	D	OT	D	D			D	OT		D*	D	D	D	D
<i>Juniperus horizontalis</i>	O*	OT	D*	O*	D	OT	OT	D		OT	D	OT	OT	D*	D	D	D	D
<i>Juniperus procumbens</i>		OT		O*	D	OT	D	D		OT	D	OT		D*	D	D	D	D
<i>Juniperus sabina</i>		OT	D*	O*	D	OT	D	D		OT	D	OT		D*	D	D	D	D
<i>Juniperus scopulorum</i>		OT	D*		D	OT	D	D		OT	D	OT		D	D	D	D	D
<i>Juniperus squamata</i>		OT		OT	D	OT	D	D			D	OT	OT	D*	D	D	D	D
<i>Juniperus virginiana</i>		OT	D*	O*	D	OT	D	D	D	OT	D	OT		D	D	D	D	D
<i>Justicia spp.</i>		O*	D*	O*	D		D				D			D	D	D	D	D
<i>Justicia brandegeana</i>		OT	D	OT	D		D				D			D	D	D	D	D
<i>Kalmia latifolia</i>					D	OT	D				D	OT		D	D	D	D	D
<i>Koelreuteria paniculata</i>			OT	OT	D	OT	D				D			D	D	D	D	D
<i>Kolkwitzia amabilis</i>					D	OT	D				D			D	D	D	D	D
<i>Laburnum anagyroides</i>		OT			D		D				D			D	D	D	D	D
<i>Lagerstroemia indica</i>		OT	OT	OT	D		D	D		D	D			D	D	D	D	D
<i>Lantana spp.</i>		OT	D*	O*	D		D				D			D	D	D	D	D
<i>Larix spp.</i>				O*	D		D				D			D	D	D	D	D
<i>Lavendula spp.</i>				O*	D		D				D			D	D	D	D	D
<i>Leucophyllum frutescens</i>			OT		D		D				D			D	D	D	D	D
<i>Leucothoe spp.</i>			D*		D	OT	D				D			D	D	D	D	D
<i>Leucothoe axillaris</i>			D		D	OT	D				D			D	D	D	D	D
<i>Ligustrum spp.</i>	OT	OT	D*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Ligustrum amurense</i>		OT	OT		D	OT	D				D			D	D	D	D	D
<i>Ligustrum japonicum</i>	OT	OT	D*	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Ligustrum lucidum</i>	OT	OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Ligustrum ovalifolium</i>	OT	OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Ligustrum sinense</i>	OT	OT			D	OT	D				D	OT		D	D	D	D	D
<i>Ligustrum x vicaryi</i>	OT	OT	OT		D	OT	D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Liquidambar styraciflua</i>		OT	OT	OT	D		D			D	D	OT		D	D	D	D	D
<i>Liriodendron tulipifera</i>				OT	D	OT	D			D	D	OT		D	D	D	D	D
<i>Livistona chinensis</i>			OT		D		D				D			D	D	D	D	D
<i>Lonicera spp.</i>		O*	D*	O*	D	OT	D				D			D	D	D	D	D
<i>Lonicera japonica</i>					D	OT	D				D			D	D	D	D	D
<i>Lonicera morrowii</i>			OT	OT	D	OT	D				D			D	D	D	D	D
<i>Lonicera pileata</i>		OT			D	OT	D				D			D	D	D	D	D
<i>Lonicera xylosteum</i>			OT		D	OT	D				D			D	D	D	D	D
<i>Maclura pomifera</i>				OT	D		D				D			D	D	D	D	D
<i>Magnolia spp.</i>	OT		D*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Magnolia grandiflora</i>	OT		D*	OT	D	OT	D	D			D	OT		D	D	D	D	D
<i>Magnolia stellata</i>	OT		OT		D		D				D	OT		D	D	D	D	D
<i>Mahonia spp.</i>		O*	O*	O*	D		D				D			D	D	D	D	D
<i>Mahonia aquifolium</i>		OT	OT	OT	D		D				D			D	D	D	D	D
<i>Mahonia x wagneri</i>			OT		D		D				D			D	D	D	D	D
<i>Malus spp.</i>		O*	O*	OT	D	OT	D			D*	D	OT		D	D	D	D	D
<i>Malus floribunda</i>			OT	OT	D	OT	D			D	D	OT		D	D	D	D	D
<i>Malus halliana var. parkmanii</i>		OT		OT	D		D				D			D	D	D	D	D
<i>Malus x domestica</i>		D		OT	D		D			D*	D			D	D	D	D	D
<i>Morus alba</i>		OT			D	OT	D				D			D	D	D	D	D
<i>Myoporum spp.</i>			O*	O*	D		D				D			D	D	D	D	D
<i>Myrica cerifera</i>			OT		D		D				D			D	D	D	D	D
<i>Myrica pensylvanica</i>		OT			D		D				D			D	D	D	D	D
<i>Myrtus communis</i>				O*	D		D							D				
<i>Nandina domestica</i>	OT	OT	D	OT	D	OT	D				D			D	D	D	D	D
<i>Nerium oleander</i>	OT	OT	D*	OT	D		OT				D			D	D	D	D	D
<i>Nyssa sylvatica</i>					D		D				D			D	D	D	D	D
<i>Ochna serrulata</i>				OT	D		D				D			D	D	D	D	D
<i>Olea spp.</i>		D	O*	OT	D		D			D*	D			D	D	D	D	D
<i>Osmanthus spp.</i>		O*	O*	O*	D	OT	D				D			D	D	D	D	D
<i>Osmanthus fragrans</i>		OT	OT	OT	D	OT	D				D			D	D	D	D	D
<i>Osmanthus heterophyllus</i>				OT	D	OT	D				D			D	D	D	D	D
<i>Oxydendrum arboreum</i>					D		D				D			D	D	D	D	D
<i>Pachysandra terminalis</i>		OT	OT	OT	OT		D				D			D	D	D	D	D
<i>Parkensonia aculeata</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Parthenocissus tricuspidata</i>				OT	D		D				D			D	D	D	D	D
<i>Paulownia tomentosa</i>				OT	D		D				D			D	D	D	D	D
<i>Paxistima canbyi</i>					D	OT	D				D			D	D	D	D	D
<i>Phellodendron amurense</i>					D	OT	D				D			D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Philadelphus spp.</i>			O*	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Phoenix roebelenii</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Photinia fraseri</i>	OT	OT	OT	OT	D	OT	OT				D			D	D	D	D	D
<i>Photinia glabra</i>	OT	OT		OT	D	OT	D				D			D	D	D	D	D
<i>Phyllostachys aurea</i>			OT		D		D							D	D	D	D	D
<i>Physocarpus spp.</i>			O*	O*	D		D				D			D	D	D	D	D
<i>Physocarpus opulifolius</i>			OT	O*	D		OT				D			D	D	D	D	D
<i>Picea spp.</i>		OT	O*	O*	D		D		D*	O*	D	OT	O*	D*	D	D	D	D
<i>Picea abies</i>		OT	OT	OT	D		D	D	D	OT	D	OT	OT	D	D	D	D	D
<i>Picea glauca</i>		OT	OT	OT	D		D		D	O*	D	OT	OT	D*	D	D	D	D
<i>Picea pungens</i>		OT	OT	OT	D		D		D	OT	D	OT	OT	D	D	D	D	D
<i>Picea rubens</i>		OT			D		D				D	OT		D	D	D	D	D
<i>Picea sitchensis</i>		OT			D		D			OT	D	OT		D	D	D	D	D
<i>Pieris japonica</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Pieris spp.</i>			O*	O*	D		D				D			D	D	D	D	D
<i>Pinus spp.</i>	O*	OT	O*	O*	D	O*	D		D*	O*	D	OT	O*	D*	D	D	D	D
<i>Pinus banksiana</i>		OT		OT	D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus clausa</i>		OT			D		D				D	OT		D	D	D	D	D
<i>Pinus contorta</i>		OT		OT*	D	OT	D			OT	D	OT	OT	D	D	D	D	D
<i>Pinus echinata</i>		OT			D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus elliotii</i>		OT	OT	OT	D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus mugo</i>		OT	OT	OT	OT	OT	OT			OT	D	OT	OT	D*	D	D	D	D
<i>Pinus nigra</i>		OT	OT	OT	D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus omorika</i>		OT	OT		D		D				D	OT		D	D	D	D	D
<i>Pinus palustris</i>		OT	OT	OT	D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus parviflora</i>		OT		OT	D	OT	D				D	OT		D	D	D	D	D
<i>Pinus pinea</i>		OT		OT	D	OT	D				D	OT		D	D	D	D	D
<i>Pinus ponderosa</i>		OT	OT	O*	D	OT	D			OT	D	OT	OT	D	D	D	D	D
<i>Pinus pungens</i>		OT	OT		D		D				D	OT		D	D	D	D	D
<i>Pinus radiata</i>		OT	OT	OT	D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus resinosa</i>		OT	OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Pinus rigida</i>		OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Pinus serotina</i>		OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Pinus strobiformis</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Pinus strobus</i>	OT	OT	OT	OT	D	OT	D		D	OT	D	OT	OT	D	D	D	D	D
<i>Pinus sylvestris</i>		OT	OT	OT	D	OT	D		D	OT	D	OT	OT	D	D	D	D	D
<i>Pinus taeda</i>		OT	OT	OT	D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pinus thunbergii</i>		OT		OT	D	OT	D				D	OT		D	D	D	D	D
<i>Pinus virginiana</i>		OT	OT	OT	D	OT	D		D	OT	D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Pinus wallichiana</i>		OT			D	OT	D			OT	D	OT		D	D	D	D	D
<i>Pistacia spp.</i>		D*		OT	D		D			D*	D			D	D	D	D	D
<i>Pittosporum spp.</i>		OT	O*	O*	D	OT	D				D			D	D	D	D	D
<i>Pittosporum tobira</i>		OT	OT	OT	D	OT	OT				D			D	D	D	D	D
<i>Platanus occidentalis</i>			OT	OT			D			D	D	OT	D	D	D	D	D	D
<i>Platanus x acerifolia</i>			OT				D				D			D	D	D	D	D
<i>Playtcladus orientalis</i>			OT	OT	D	OT	D			OT	D	OT		D*	D	D	D	D
<i>Plumbago spp.</i>			O*		D						D			D	D	D	D	D
<i>Podocarpus gracilor</i>		OT	D		D		D				D			D	D	D	D	D
<i>Podocarpus macrophyllus</i>			OT	OT	D		D											
<i>Populus alba</i>				OT	D		D			D*								
<i>Populus spp.</i>				O*	D	OT	D			D	D	OT		D	D	D	D	D
<i>Populus deltoides</i>					D	OT	D			D	D	OT		D	D	D	D	D
<i>Potentilla spp.</i>		OT	O*	O*	D		D				D		D*	D	D	D	D	D
<i>Potentilla fruticosa</i>		OT	O*		D		D				D		D	D	D	D	D	D
<i>Potentilla verna</i>			OT	O*	D		D											
<i>Prosopis chilensis</i>			OT		D		D				D			D	D	D	D	D
<i>Prunus spp.</i>		D		OT	D		D			D	D			D	D	D	D	D
<i>Prunus spp.</i>				OT	D		D			D	D			D	D	D	D	D
<i>Prunus spp.</i>		D*	D*	OT	D		D			D*	D	O*		D	D	D	D	D
<i>Prunus avium</i>		D		OT	D		D								D	D	D	D
<i>Prunus caroliniana</i>			O*	O*	D		D				D			D	D	D	D	D
<i>Prunus cerasifera</i>				OT	D		D			D	D			D	D	D	D	D
<i>Prunus glandulosa</i>				OT	D	OT	D			D*	D			D	D	D	D	D
<i>Prunus laurocerasus</i>				OT	D		D				D			D	D	D	D	D
<i>Prunus persica</i>		D		OT	D	OT	D			D*	D			D	D	D	D	D
<i>Prunus sargentii</i>				OT	D		D			D	D	OT		D	D	D	D	D
<i>Prunus serotina</i>				OT	D		D			D	D	OT		D	D	D	D	D
<i>Prunus serrulata</i>				OT	D		D			D	D	OT		D	D	D	D	D
<i>Prunus spp.</i>		D		OT	D		D			D	D			D	D	D	D	D
<i>Prunus subhirtella pendulata</i>				OT	D		D			D	D	OT		D	D	D	D	D
<i>Prunus tomentosa</i>				OT	D		D											
<i>Prunus triloba</i>		OT	OT	OT	D	OT	D			D*	D			D	D	D	D	D
<i>Prunus x cistena</i>				OT	D		D			D	D	OT		D	D	D	D	D
<i>Prunus yedoensis</i>				OT	D		D			D	D	OT		D	D	D	D	D
<i>Pseudosuga menziesii</i>		OT	OT	OT	D		D	D	D	OT	D	OT	OT	D*	D	D	D	D
<i>Pyracantha spp.</i>	OT	OT	O*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Pyracantha coccinea</i>	OT	OT	O*		D	OT	D				D	OT		D	D	D	D	D
<i>Pyracantha fortuneana</i>		OT		O*	D	OT	D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Pyracantha 'Mohave'</i>			OT		D	OT	D				D	OT		D	D	D	D	D
<i>Pyrus spp.</i>		D*	O*	OT	D		D			D*	D	O*		D	D	D	D	D
<i>Pyrus calleryana 'Bradford'</i>			OT	OT	D		D			D	D	OT		D	D	D	D	D
<i>Pyrus communis</i>		D		OT	D		D			D*	D			D	D	D	D	D
<i>Quercus alba</i>		OT		OT	D	OT	D				D	OT		D	D	D	D	D
<i>Quercus spp.</i>		OT	O*	O*	O*	OT	D			D*	D	OT	D*	D	D	D	D	D
<i>Quercus coccinea</i>		OT			D	OT	D				D	OT		D	D	D	D	D
<i>Quercus nigra</i>		OT		OT	D	OT	D			D	D	OT		D	D	D	D	D
<i>Quercus pagoda</i>		OT			D	OT	D			D	D	OT		D	D	D	D	D
<i>Quercus palustris</i>		OT	OT		D	OT	D			D	D	OT		D	D	D	D	D
<i>Quercus phellos</i>		OT		OT	D	OT	D			D	D	OT	D	D	D	D	D	D
<i>Quercus prinus</i>		OT			D	OT	D			D	D	OT		D	D	D	D	D
<i>Quercus rubra</i>		OT		OT	OT	OT	D			D	D	OT	D	D	D	D	D	D
<i>Quercus virginiana</i>		OT	OT		D	OT	D				D	OT		D	D	D	D	D
<i>Raphiolepis indica</i>		OT	OT	OT	D		D				D	OT		D	D	D	D	D
<i>Raphiolepis umbellata</i>			OT		D		D				D	OT		D	D	D	D	D
<i>Rhamnus frangula</i>				O*	D		D											
<i>Rhamnus spp.</i>			OT	O*	D		D				D			D	D	D	D	D
<i>Rhododendron (spp.) (azalea)</i>	OT	OT	D*	O*		O*	D	D			D	OT		D	D	D	D	D
<i>Rhododendron (azalea) Gable hybrids</i>	OT	OT	O*			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Girard hybrids</i>	OT	OT	O*			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Glend Dale hybrids</i>	OT	OT	OT			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Kurume hybrids</i>	OT	OT	D	O*		OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Northern Lights hybrids</i>	OT	OT		O*		OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Pericat hybrids</i>	OT	OT	O*			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Ruthfordiana hybrid</i>	OT	OT	O*			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) Satsuki hybrids</i>	OT	OT	O*			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron (azalea) southern indica type</i>	OT	OT	O*			OT	D	D			D	OT			D	D	D	D
<i>Rhododendron spp.</i>	OT	OT	D*	O*		OT	OT	D			D	OT		D*	D	D	D	D
<i>Rhododendron carolinianum</i>	OT	OT		O*		OT	D	D			D	OT		D*	D	D	D	D
<i>Rhododendron catawbiense</i>	OT	OT	O*	O*		OT	D	D			D	OT	OT*	D*	D	D	D	D
<i>Rhododendron indicum</i>	OT	OT	D*	O*		O*	D	D			D	OT		D	D	D	D	D
<i>Rhododendron maximum</i>	OT	OT		O*		OT	D	D			D	OT		D*	D	D	D	D
<i>Rhododendron molle</i>	OT	OT		O*		O*	D	D			D	OT		D	D	D	D	D
<i>Rhododendron obtusum</i>	OT	OT	D*	O*		O*	D	D			D	OT	OT*	D	D	D	D	D
<i>Rhododendron PJM group</i>	OT	OT	D*			OT	D	D						D	D	D	D	D
<i>Rhus spp.</i>			O*	O*	D		D				D			D	D	D	D	D
<i>Ribes alpinum</i>				OT	D		D				D			D	D	D	D	D
<i>Robinia spp.</i>				O*	D	OT	D			D*	D			D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Robinia pseudoacacia</i>				OT	D	OT	D			D	D				D	D	D	D
<i>Rosa banksiae</i>			OT		D		D	D			D			D	D	D	D	D
<i>Rosa spp.</i>	OT	OT	O*		D	OT	D	D			D			D	D	D	D	D
<i>Rosmarnius spp</i>			O*		D		OT							D	D	D	D	D
<i>Rubus spp.</i>		D		OT	D		D				D			D	D	D	D	D
<i>Salix spp.</i>	OT		D*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Salix alba</i>	OT		OT		D	OT	D				D	OT		D	D	D	D	D
<i>Salix babylonica</i>	OT		OT		D	OT	D				D	OT		D	D	D	D	D
<i>Salix babylonica</i>	OT		OT		D	OT	D				D	OT		D	D	D	D	D
<i>Salix matsudana</i>	OT			O*	D	OT	D				D	OT		D	D	D	D	D
<i>Salix purpurea</i>	OT		OT		D	OT	D				D	OT		D	D	D	D	D
<i>Samanea saman</i>					D		D				D			D	D	D	D	D
<i>Sambucus spp.</i>					D		D				D			D	D	D	D	D
<i>Santolina chamaecyparissus</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Sequoia sempervirens</i>				OT	D		D				D			D	D	D	D	D
<i>Sophora japonica</i>			OT		D		D				D			D	D	D	D	D
<i>Sorbus americana</i>				OT	D	OT	D								D	D	D	D
<i>Sorbus spp.</i>			O*	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Sorbus aucuparia</i>				OT	D	OT	D				D	OT		D	D	D	D	D
<i>Sorbus decora</i>				OT	D	OT	D				D	OT		D	D	D	D	D
<i>Spiraea spp.</i>		O*	D*	O*	D	OT	D	D			D	OT	D*	D	D	D	D	D
<i>Spiraea japonica</i>			O*	O*	D	OT	O*	D			D	OT	D*	D	D	D	D	D
<i>Spiraea nipponica</i>			OT	O*	D	OT	D	D			D	OT		D	D	D	D	D
<i>Spiraea thunbergii</i>		O*	OT		D	OT	D	D			D	OT		D	D	D	D	D
<i>Spiraea vanhouttei</i>			D*	OT	D	OT	D	D			D	OT		D	D	D	D	D
<i>Spirea x bumalda</i>					D	OT	D	D			D	OT		D	D	D	D	D
<i>Symphoricarpos albus</i>					D		D				D			D	D	D	D	D
<i>Syringa spp.</i>			O*	O*	D	OT	D			D*	D	OT		D	D	D	D	D
<i>Syringa chinensis</i>			D	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Syringa meyeri</i>			OT	OT	D	OT	D				D	OT		D	D	D	D	D
<i>Syringa patula</i>					D	OT	D				D	OT		O*	D	D	D	D
<i>Syringa pubescens subsp. patula</i>					D	OT	D					OT		D	D	D	D	D
<i>Syringa villosa</i>			OT		D	OT	D				D	OT		D	D	D	D	D
<i>Syringa vulgaris</i>				O*	D	OT	OT			D	D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Syringa x persica</i>					D	OT	D				D	OT		D	D	D	D	D
<i>Syzygium paniculatum</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Taxodium distichum</i>		OT			D		D				D			D	D	D	D	D
<i>Taxus spp.</i>	OT	OT	O*	O*	O*	OT	D	D		OT	D	OT	OT*	D*	D	D	D	D
<i>Taxus baccata</i>	OT	OT		OT	D	OT	D	D		OT	D	OT			D	D	D	D
<i>Taxus canadensis</i>	OT	OT			D	OT	D	D		OT	D	OT		D*	D	D	D	D
<i>Taxus cuspidata</i>	OT	OT	OT	O*	OT	OT	D	D		OT	D	OT		D*	D	D	D	D
<i>Taxus x media</i>	OT	OT	O*		O*	OT	D	D		OT	D	OT	OT	D*	D	D	D	D
<i>Ternstroemia gymnanthera (Cleyera japonica)</i>		OT	OT		D	OT	D				D			D	D	D	D	D
<i>Thuja spp.</i>		O*	O*	O*	O*	OT	D	D		O*	D	OT		D*	D	D	D	D
<i>Thuja occidentalis</i>		OT	O*	O*	OT	OT	OT	D		OT	D	OT	OT*	D*	D	D	D	D
<i>Tilia americana</i>		OT	OT	OT	D	OT	D				D				D	D	D	D
<i>Tilia spp.</i>		OT	OT	O*	D	OT	D				D	OT		D	D	D	D	D
<i>Tilia cordata</i>		OT	OT	OT	D	OT	D				D				D	D	D	D
<i>Trachelospermum asiaticum</i>		OT	OT	OT	D		OT				D			D	D	D	D	D
<i>Trachelospermum jasminoides</i>		OT	OT	OT	D		OT				D			D	D	D	D	D
<i>Trachycarpus fortunei (Chamaerops excelsa)</i>			OT	OT	D		D				D			D	D	D	D	D
<i>Tsuga spp.</i>		O*	O*	O*	D		D			O*	D	OT		D*	D	D	D	D
<i>Tsuga canadensis</i>		OT	OT	OT	D		D			OT	D	OT		D*	D	D	D	D
<i>Tsuga caroliniana</i>					D		D				D	OT		D*	D	D	D	D
<i>Tsuga heterophylla</i>		OT			D		D			OT	D	OT		D	D	D	D	D
<i>Ulmus americana</i>					D	OT	D				D	OT		D	D	D	D	D
<i>Ulmus spp.</i>				O*	D	OT	D				D	OT		D	D	D	D	D
<i>Ulmus pumila</i>					D	OT	D				D	OT		D	D	D	D	D
<i>Vaccinium spp.</i>		D	D*	OT	D		D				D			D	D	D	D	D
<i>Viburnum spp.</i>	OT	O*	D*	O*	D		D				D	OT		D	D	D	D	D
<i>Viburnum dentatum</i>	OT		OT	OT	D		D				D	OT		D	D	D	D	D
<i>Viburnum japonicum</i>	OT		OT	OT	D		D				D	OT		D	D	D	D	D
<i>Viburnum lantana</i>	OT		O*	OT	D		D				D	OT		D	D	D	D	D
<i>Viburnum lentago</i>	OT		OT	OT	D		D				D	OT		D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.

Table 4. Postemergence Herbicides Registered for Use on Woody Ornamentals

	Acclaim Extra	Envoy	Fusilade II	Segment	Basagran TO	Casoron	Certainty	Dismiss	Garlon 3A	Goal	Gramoxone	Kerb	Lontrel	Sedgehammer	Finale	Reward	Roundup Pro	Scythe
<i>Viburnum opulus</i>	OT		OT	O*	D		D				D	OT		D	D	D	D	D
<i>Viburnum plicatum</i>	OT		OT		D		D				D	OT		D	D	D	D	D
<i>Viburnum suspensum</i>	OT		OT	O*	D		D				D	OT		D	D	D	D	D
<i>Viburnum tinus</i>	OT	OT		OT	D		D				D	OT		D	D	D	D	D
<i>Viburnum trilobum</i>	OT		OT	OT	D		D				D	OT		D	D	D	D	D
<i>Viburnum wrightii</i>	OT				D		D				D	OT		D	D	D	D	D
<i>Viburnum x juddi</i>	OT		OT		D		D				D	OT		D	D	D	D	D
<i>Viburnum x rhytidophylloides</i>	OT		OT		D		D				D	OT		D	D	D	D	D
<i>Vinca major</i>	OT				D		OT				D			D	D	D	D	D
<i>Vinca minor</i>	OT	OT	O*	O*	D		D				D			D	D	D	D	D
<i>Vitis spp.</i>		D		OT	D		D			D*	D			D	D	D	D	D
<i>Weigela florida</i>	OT		OT		D	OT	D				D			D	D	D	D	D
<i>Weigela spp.</i>	OT		O*		D	OT	D				D			D	D	D	D	D
<i>Wisteria spp.</i>		OT		O*	D		D				D			D	D	D	D	D
<i>Yucca spp.</i>			O*		D		D				D			D	D	D	D	D
<i>Yucca filamentosa</i>			OT		D		D				D			D	D	D	D	D
<i>Yucca gloriosa</i>			OT		D		D				D			D	D	D	D	D
<i>Yucca recurvifolia</i>			OT		D		D				D			D	D	D	D	D

OT = registered for over-the-top use.
D = registered for directed applications
O* = registered for over-the-top use on certain species within the genus; consult label for details.
D* = registered for directed applications on certain species within the genus; consult label for details.